



Newborn Intensive Care Bibliography

- Als, H., & Gilkerson, L. (1997). The role of relationship-based developmentally supportive newborn intensive care in strengthening outcomes of pre term infants. *Seminars in Perinatology*, 21(3), 178-189.
- Altimier, L., & Phillips, R. (2016). The Neonatal Integrative Developmental Care Model: Advanced clinical applications of the seven core measures for neuroprotective family-centered developmental care. *Newborn & Infant Nursing Review*. doi:10.1053/j.nainr.2016.09.030
- American Academy of Pediatrics (2008). Hospital discharge of the high-risk neonate. *Pediatrics*, 122(5), 1119-1126. doi:10.1542/peds.2008-2174
- Ardal, F., Sulman, J., & Fuller-Thompson, E. (2011). Support like a walking stick: Parent-buddy matching for language and culture in the NICU. *Neonatal Network*, 30(2), 89-98. doi:10.1891/0730-0832.30.2.89
- Armentrout, D., & Cates, L. A. (2011). Informing parents about the actual or impending death of their infant in a newborn intensive care unit. *Journal of Perinatal and Neonatal Nursing*, 25(3), 261-267. doi:10.1097/JPN/0b013e3182259943
- Balbino, F. S., Balieiro, M. M., & Mandetta, M. A. (2016). Measurement of family-centered care perception and parental stress in a neonatal unit. *Revista Latino-Americana de Enfermagem*, 24. doi:10.1590/1518-8345.0710.2753
- Benzies, K. M. (2016). Relational communications strategies to support family-centered neonatal intensive care. *Journal of Perinatology and Neonatal Nursing*, 30(3), 233-236. doi:10.1097/JPN.0000000000000195
- Bracht, M., Kandankery, A., Nodwell, S., & Stade, B. (2002). Cultural differences and parental responses to the preterm infant at risk: Strategies for supporting families. *Neonatal Network*, 21(6), 31-38. doi:10.1891/0730-0832.21.6.31
- Bracht, M., O'Leary, L., Lee, S., & O'Brien, K. (2013). Implementing family-integrated care in the NICU: A parent education and support program. *Advances in Neonatal Care*, 13(2), 115-126. doi:10.1097/ANC.0b013e318285fb5b
- Buehler, D. M., Als, H., Duffy, F. H., McAnulty, G. B., & Liederman, J. (1995). Effectiveness of individualized developmental care for low-risk preterm infants: Behavioral and electrophysiologic evidence. *Pediatrics*, 96(5), 923-932.
- Carter, B. S., Brown, J. B., Brown, S. & Meyer, E. C. (2014). Four wishes for Aubrey. *Journal of Perinatology*, 32, 10-14. doi:10.1038/jp.2011.171
- Catlin, A. (2005). Thinking outside the box: Prenatal care and the call for a prenatal advance directive. *Journal of Perinatal & Neonatal Nursing*, 19(2), 169-176.
- Celenza, J., Zayack, D., Buus-Frank, M., & Horbar, J. (2017). Family involvement in quality improvement: From bedside advocate to system advisor. *Clinics in Perinatology*, 44, 553-566. doi:10.1016/j.clp.2017.05.008
- Clark, P. A. (2001). What residents are not learning: Observations in a NICU. *Academic Medicine*, 76(5), 419-424.

- Cockcroft, S. (2011). How can family centred care be improved to meet the needs of parents with a premature baby in neonatal intensive care? *Journal of Neonatal Nursing*, 18, 105-110. doi:10.1016/j.jnn.2011.07.008
- Conde-Agudelo, A., & Díaz-Rossello, J. L. (2016). Kangaroo mother care to reduce morbidity and mortality in low birthweight infants (Review). *Cochrane Database of Systematic Reviews*, 8, Art. No.: CD00s771. doi:10.1002/14651858.CD002771.pub4
- Craig, J. W., Glick, C., Phillips, R., Hall, S. L., Smith, J., & Browne, J. (2015). Recommendations for involving the family in developmental care of the NICU baby. *Journal of Perinatology*, 35, 5-8. doi:10.1038/jp.2015.142
- Curley, M. A., & Meyer, E. C. (2003). Parental experience of highly technical therapy: Survivors and nonsurvivors of extracorporeal membrane oxygenation support. *Pediatric Critical Care Medicine*, 4(2), 214-219. doi:10.1097/01.PCC.0000043915.79848.8D
- Davis, L., Mohay, H., & Edwards, H. (2003). Mothers' involvement in caring for their premature infants: An historical overview. *Journal of Advanced Nursing*, 42(6), 578-586.
- Dunn, M., MacMillan-York, E., & Robson, K. (2016). Single family rooms for the NICU: Pros, cons and the way forward. *Newborn and Infant Nursing Reviews*. doi:10.1053/j.nainr.2016.09.011
- Dunn, M. S., Reilly, M. C., Johnston, A. M., Hoopes, R. D. Jr., & Abraham, M. R. (2006). Development and dissemination of potentially better practices for the provision of family-centered care in neonatology: The family-centered care map. *Pediatrics*, 118(Suppl. 2), s95-s107. doi:10.1542/peds.2006-0913F
- Falck, A., Moorthy, S., & Hussey-Gardner, B. (2016). Perceptions of palliative care in the NICU. *Advances in Neonatal Care*, 16(3), 191-200. doi:10.1097/ANC.0000000000000301
- Fenwick, J., Barclay, L., & Schmied, V. (2001). Struggling to mother: A consequence of inhibitive nursing interactions in the neonatal nursery. *Journal of Perinatal and Neonatal Nursing*, 15(2), 49-64.
- Flacking, R., Lehtonen, L., Thomson, G., Axelin, A., Ahlqvist, S., Moran, V. H., . . . & Dykes, F. (2012). Closeness and separation in neonatal intensive care. *ACTA Paediatrica*, 101(10), 1032-1038. doi:10.1111/j.1651-2227.2012.02787.x
- Felgran, L., & Helseth, S. (2009). The parent-nurse relationship in the neonatal intensive care unit context – closeness and emotional involvement. *Scandinavian Journal of Caring Sciences*, 23(4), 667-673. doi:10.1111/j.1471-6712.2008.00659.x
- Franck, L. S., Allen, A., Cox, S., & Winter, I. (2005). Parents' views about infant pain in the neonatal intensive care. *Clinical Journal of Pain*, 21(2), 133-139.
- Gabriels, K., Brouwer, A. J., Maat, J., & van de Hoogen, A. (2015). Kangaroo care: Experiences and needs of parents in neonatal intensive care: A systematic review 'parents' experience of kangaroo care. *Pediatrics and Neonatal Nursing*, 1(1). doi:10.16966/2470-0983.102
- Galarza-Winton, M., Dicky, T., O'Leary, L., Lee, S., & O'Brien, K. (2013). Implementing family-integrated care in the NICU: Educating nurses. *Advances in Neonatal Care*, 13(5), 335-340. doi:10.1097/ANC.0b013e3182a14cde
- Gilkerson, L., & Als, H. (1995). Role of reflective process in the implementation of developmentally supportive care in the newborn intensive care nursery. *Infants and Young Children*, 7(4), 20-28.

- Globus, O., Leibovitch, L., Maayan-Metzger, A., Schushan-Eisen, I., Morag, I., Mazkereth, R., . . . & Strauss, T. (2016). The use of short message services (SMS) to provide medical updating to parents in the NICU. *Journal of Perinatology*, 36, 739-743. doi:10.1038/jp.2016.83
- Green, R. M. & Little, G. A. (Executive Producers) & Kahn, R. (Filmmaker). (1998). *Dreams and dilemmas: Parents and the practice of neonatal care* [Videotape]. Hanover, NH: Trustees of Dartmouth College. (Available from Fanlight Productions at www.fanlight.com)
- Gooding, J., Cooper, L., Blaine, A., Franck, L., Howse, J., & Berns, S. (2011). Family support and family-centered care in the neonatal intensive care unit: Origins, advances, impact. *Seminars in Perinatology*, 35(1), 20-28. doi:10.1053/j.semperi.2010.10.004
- Griffin, T. (2014). A family-centered “visitation” policy in the neonatal intensive care unit that welcomes parents as partners. *Journal of Perinatal & Neonatal Nursing*, 27(2), 166-167. doi:10.1097/JPN.0b013e3182907f26
- Griffin, T. (2014). *Family-Centered Care for the Newborn: The Delivery Room and Beyond*. New York: Springer Publishing Company.
- Griffin, T. (2006). Family-centered care in the NICU. *Journal of Perinatal and Neonatal Nursing*, 20(1), 98-102.
- Griffin, T., & Abraham, M. R. (2006). Transition to home from the newborn intensive care unit: Applying the principles of family-centered care to the discharge process. *Journal of Perinatal and Neonatal Nursing*, 20(3), 243-249.
- Guillaume, S., Michelin, N., Amrani, E., Benier, B., Durrmeyer, X., Lescure, S., . . . & Caeymaex, L. (2013). Parents’ expectations of staff in the early bonding process with their premature babies in the intensive care setting: a qualitative multicenter study with 60 parents. *BMC Pediatrics*, 13(18). doi:10.1186/1471-2431-13-18
- Hall, S., Cross, J., Selix, N. W., Patterson, C., Segre, L., Chuffo-Siewert, R., . . . & Martin, M. L. (2015). Recommendations for enhancing psychosocial support of NICU parents through staff education and support. *Journal of Perinatology*, 35, S29-S36. doi:10.1038/jp.2015.147
- Hall, S., Hynan, M., Phillips, R., Press, J., Kenner, C., & Ryan, D. (2015). Development of program standards for psychosocial support of parents of infants admitted to a neonatal intensive care unit: A national interdisciplinary consensus model. *Newborn & Infant Nursing Reviews*, 15(1), 24-27. doi:10.1053/j.nainr.2015.01.007
- Hall, S. L., Ryan, D.J., Beatty, J., & Grubbs, L. (2015). Recommendations for peer-to-peer support for NICU parents. *Journal of Perinatology*, 35, 9-13. doi:10.1038/jp.2015.143
- Harris, G. M. (2014). Family-centered rounds in the neonatal intensive care unit. *Nursing for Women’s Health*, 18(1), 18-27. doi:10.1111/1751-486X.12090
- Harrison, H. (1993). The principles for family-centered neonatal care. *Pediatrics*, 92(5), 643-650.
- Hellmann, J. (2014). End-of-life decision-making in the neonatal intensive care unit: Serving the best interests of the newborn within a family-centered care framework. In R.Z. Shaul, *Pediatric Patient and Family-Centered Care: Ethical and Legal Issues* (221-241). New York: Springer Publishing.
- Helth, T. D., & Jarden, M. (2013). Fathers’ experiences with the skin-to-skin method in NICU: Competent parenthood and redefined gender roles. *Journal of Neonatal Nursing*, 19(3), 114-121. doi:10.1016/j.jnn.2012.06.001
- Hendson, L., Reis, M., & Nicholas, D. (2015). Health care providers’ perspectives of providing culturally competent care in the NICU. *Journal of Obstetric, Gynecologic, & Neonatal Nursing*, 44, 17-27. doi:10.1111/1552-6909.12524

- Hurst, I. (2005). The legal landscape at the threshold of viability for extremely premature infants: A nursing perspective, Part I. *Journal of Perinatal and Neonatal Nursing*, 19(2), 155-166.
- Hurst, I. (2005). The legal landscape at the threshold of viability for extremely premature infants: A nursing perspective, Part II. *Journal of Perinatal and Neonatal Nursing*, 19(3), 253-262.
- Institute for Patient- and Family-Centered Care. (2003) *Partnerships with families in newborn intensive care... Enhancing quality and safety*. [Videotape]. Bethesda, MD: Institute for Patient- and Family-Centered Care. Available from www.ipfcc.org/resources/multimedia/index.html
- Janvier, A., Barrington, K., & Farlow, B. (2014). Communication with parents concerning withholding or withdrawing of life-sustaining interventions in neonatology. *Seminars in Perinatology*, 38(1), 38-46. doi:10.1053/j.semperi.2013.07.007
- Jiang, S., Warre, R., Qui, X., O'Brien, K., & Lee, S. (2014). Parents as practitioners in preterm care. *Early Human Development*, 90(11), 781-785. doi:10.1016/j.earlhumdev.2014.08.019
- Kenner, C., Press, J., & Ryan, D. (2015). Recommendations for palliative and bereavement care in the NICU: a family-centered integrative approach. *Journal of Perinatology*, 35, 19-23. doi:10.1038/jp.2015/145
- Koh, T., Butow, P. N., Coory, M., Budge, D., Collie, L. A., Whitehall, J., & Tattersall, M. H. (2007). Provision of taped conversations with neonatologists to mothers of babies in intensive care: Randomised controlled trial. *British Medical Journal*, 334(7583), 28-31. doi:10.1136/bmj.39017.675648.
- Lemyre, B., Daboval, T., Dunn, S., Kekewich, M., Jones, G., Wang, D., . . . & Moore, G. P. (2016). Shared decision making for infants born at the threshold of viability: a prognosis-based guideline. *Journal of Perinatology*, 36(7), 503-509. doi:10.1038/jp.2016.81
- Lester, B., Salisbury, A., Hawes, K., Dansereau, L., Bigsby, R., Laptook, A., . . . & Padbury, J. (2016). 18-month follow-up of infants care for in a single-family room neonatal intensive care unit. *Journal of Pediatrics*, 177, 84-89. doi:10.1016/j.jpeds.2016.06.069
- Levick, J., Quinn, M., & Vennema, C. (2014). NICU parent-to-parent partnerships: a comprehensive approach. *Neonatal Network*, 33(2), 66-73. doi:10.1891/0730-0832.33.2.66
- Levick, J., Quinn, M., Holder, A., Nyber, A., Beaumont, E., & Munch, S. (2010). Support for siblings of NICU patients: An interdisciplinary approach. *Social Work in Health Care*, 49(1), 919-933. doi: 10.1080/00981389.2010.511054
- Macdonnell, K., Omrin, D., Pytlik, K., Pezzllo, S., Bracht, M., & Diambomba, Y. (2015) An effective communication initiative: Using parents' experiences to improve the delivery of difficult news in the NICU. *Journal of Neonatal Nursing*, 21, 142-149. doi:10.1016/j.jnn.2015.01.002
- Macdonell, K., Christie, K., Robson, K., Pytlik, K., Lee, S.K., & O'Brien, K. (2013). Implementing family-integrated care in the NICU: engaging veteran parents in program design and delivery. *Advances in Neonatal Care*, 13(4), 262-269. doi:10.1097/ANC.0b013e31829d8319.
- Marchuk, A. (2016). End-of-life care in the neonatal intensive care unit: applying comfort theory. *International Journal of Palliative Nursing*, 22(7), 317-323. doi:10.12968/ijpn.2016.22.7.317
- Maree, C., & Downes, F. (2016). Trends in family-centered care in neonatal intensive care. *Journal of Perinatal & Neonatal Nursing*, 30(3), 265-269. doi:10.1097/JPN.0000000000000202
- Martel, M. J., Milette, I., Bell, L., Tribble, D. C. S., & Payot, A. (2016). Establishment of the relationship between fathers and premature infants in neonatal units. *Advances in Neonatal Care*, 16(5), 390-398. doi:10.1097/ANC.0000000000000292

- Matricardi, S., Agostino, R., & Fedeli, C. (2012). Mothers are not fathers: Differences between parents in the reduction of stress levels after a parental intervention in a NICU. *ACTA Pædiatrica*, 102(1), 8-14. doi:10.1111/apa.12058
- Meier, P. P., Patel, A. L., Bigger, H. R., Rossman, B., & Engstrom, J. L. (2013). Supporting breastfeeding in the neonatal intensive care unit: Rush Mother's Milk Club as a case study of evidence-based care. *Pediatric Clinics of North America*, 60(1), 209-226. doi:10.1016/j.pcl.2012.10.007
- Meyer, E. C., Brodsky, D., Hansen, A. R., Lamiani, G., Sellers, D. E., & Browning, D. M. (2011). An interdisciplinary, family-focused approach to relational learning in neonatal intensive care. *Journal of Perinatology*, 31, 212-219. doi:10.1038/jp.2010.109
- Meyer, E. C., Kennally, K. F., Zika-Beres, F., Cashore, W. J., & Oh, W. (1996). Attitudes about sibling visitation in the neonatal intensive care unit. *Archives of Pediatric and Adolescent Medicine*, 150(10), 1021-1026.
- Modé, R., Mard, E., Nyqvist, K. H., & Blomqvist, Y. T. (2014). Fathers' perception of information received during their infants' stay at a neonatal intensive care unit. *Sexual & Reproductive Healthcare*, 5(3), 131-136. doi:10.1016/j.srhc.2014.05.001
- Moro, T., Kavanaugh, K., Savage, T., Reyes, M., Kimura, R., & Bhat, R. (2011). Parent decision making for life support decisions for extremely premature infants: From the prenatal through end-of-life period. *Journal of Perinatal & Neonatal Nursing*, 25(1), 52-60. doi:10.1097/JPN.0b013e31820377e5
- Mosher, S. L. (2013). The art of supporting families faced with neonatal transport. *Nursing for Women's Health*, 17(3), 198-209. doi:10.1111/1751-486X.12033
- Mullaney, D. M., Edwards, W. H., & DeGrazia, M. (2014). Family-centered care during acute neonatal transport. *Advances in Neonatal Care*, 14, 16-23. doi:10.1097/ANC.0000000000000119
- Niela, H., Axelin, A., Melender, H., & Salatnerä, S. (2015). Aiming to be a breastfeeding mother in a neonatal intensive care unit and at home: A thematic analysis of peer-support group discussion in social media. *Maternal & Child Nutrition*, 11(4), 712-726. doi:10.1111/mcn.12108
- Nyqvist, K. H., Haggkvist, A. P., Hansen, M. N., Kylberg, E., Frandsen, A. L., Maastrup, R., . . . & Haiek, L. N. (2013). Expansion of the Baby-Friendly Hospital Initiative ten steps to successful breastfeeding into neonatal intensive care: Expert group recommendations. *Journal of Human Lactation*, 29(3), 200-209. doi:10.1177/0890334413489775
- Nyqvist, K. H., & Engvall, G. (2009). Parents as their infant's primary caregivers in a neonatal intensive care unit. *Journal of Pediatric Nursing*, 24(2), 153-163.
- O'Brien, C. K., & Warren, P. L. (2014). Fathers' perceptions of neonatal nursing support. *Journal of Neonatal Nursing*, 20(5), 236-241. doi:10.1016/j.jnn.2013.11.002
- Orfali, K., & Gordon, E. J. (2004). Autonomy gone awry: A cross-cultural study of parents' experiences in the neonatal intensive care units. *Theoretical Medicine*, 25, 329-365.
- Örtenstrand, A., Westrup, B., Broström, E. B., Sarman, I., Akerström, S., Brune, T... Waldenström, U. (2010). The Stockholm neonatal family centered care study: Effects on length of stay and infant morbidity. *Pediatrics*, 125, e278-e285. doi:10.1542/peds.2009-1511
- Palma, J. P., Keller, H., Godin, M., Wayman, K., Cohen, R. S., Rhine, W. D., & Longhurst, C. A. (2012). Impact of an EMR-based daily patient update letter on communication and parent engagement in a neonatal intensive care unit. *Journal of Participatory Medicine*, 4.
- Palomaa, A., Korhonen, A., & Pölkki, T. (2016). Factors influencing parental participation in neonatal pain alleviation. *Journal of Pediatric Nursing*, 31, 519-527. doi:10.1016/j.pedn.2015.05.004

- Penticuff, J. H., & Arheart, K. L. (2005). Effectiveness of an intervention to improve parent-professional collaboration in neonatal intensive care. *Journal of Perinatal & Neonatal Nursing*, 19(2), 187-202.
- Raiskila, S., Lehtonen, L., Tandberg, B., Normann, E., Ewald, U., Caballero, S., . . . & Axelin, A. (2016). Parent and nurse perceptions on the quality of family-centered care in 11 European NICUs. *Australian Critical Care*, 29(4), 201-209. doi:10.1016/j.aucc.2016.09.003
- Ramezani, T., Shirazi, Z., Sarvestani, R., & Moattari, M. (2014). Family-centered care in neonatal intensive care unit: A concept analysis. *International Journal of Community Based Nursing and Midwifery*, 2(4), 268-278.
- Reis, M., Scott, S., & Rempel, G. (2009). Including parents in the evaluation of clinical microsystems in the neonatal intensive care unit. *Advances in Neonatal Care*, 9(4), 174-179.
- Ricciardelli, R. (2012). Unconditional love in the neonatal intensive care unit. *Journal of Neonatal Nursing*, 18(3), 94-97. doi:10.1016/j.jnn.2010.11.014
- Rodriguez, N. A., Miracle, D.J., & Meier, P. M. (2005). Sharing the science on human milk feedings with mothers of very-low-birth-weight infants. *Journal of Obstetrics, Gynecologic, and Neonatal Nursing*, 34(1), 109-119.
- Rossmann, B., Greene, M., & Meier, P. (2015). The role of peer support in the developmental of maternal identity for “NICU moms.” *Journal of Obstetric, Gynecologic, & Neonatal Nursing*, 44(1), 3-16. doi:10.1111/1552-6909.12527
- Sannino, P., Gianni, M. L., De Bon, G., Fontana, C., Picciolini, O., Plevani, L., . . . & Mosca, F. (2016). Support to mothers of premature babies using NIDCAP method: a non-randomized control trial. *Early Human Development*, 95, 15-20.
- Saunders, R. P., Abraham, M. R., Crosby, M. J., Thomas, K., & Edwards, W. H. (2003). Evaluation and development of potentially better practices for improving family-centered care units. *Pediatrics*, 111(4 pt. 2), e437-e449.
- Shorey, S., Hong-Gu, H., & Morelius, E. (2016). Skin-to-skin contact by fathers and the impact on infant and paternal outcomes: an integrative review. *Midwifery*, 40, 207-217. doi:10.1016/j.midw.2016.07.007
- Staniszewska, S., Brett, J., Redshaw, M., Kamilton, K., Newburn, M., Jones, L., . . . & Taylor, L. (2012). The POPPY study: Developing a model of family-centered care for neonatal units. *Worldviews Evidence Based Nursing*, 9(4), 243-255. doi:10.1111/j.1741-6787.2012.00253.x
- Sydnor-Greenberg, N., & Dokken, D. (2000). Coping and caring in different ways: Understanding and meaningful involvement. *Pediatric Nursing*, 26(2), 185-190.
- Thomson, G., Hall, V., Axelin, A., Dykes, F., & Flacking, R. (2016). Integrating a sense of coherence into the neonatal environment. *BMC Pediatrics*, 13, 84. doi: 0.1186/1471-2431-13-84
- Trajkovski, S., Schmied, V., Vickers, M., & Jackson, D. (2015). Using appreciative inquiry to bring neonatal nurses and parents together to enhance family-centred care: A collaborative workshop. *Journal of Child Health Care*, 19(2), 239-253. doi:10.1177/1367493513508059
- Walmsley, R., & Jones, T. (2016). Are fathers supported by neonatal teams?: An exploration of the literature. *Journal of Neonatal Nursing*, 22(6), 292-296. doi:10.1016/j.jnn.2016.09.006
- Walsh, J., & Goser, L. (2013). Development of an innovative NICU teen parent support program: one unit's experience. *Journal of Perinatal & Neonatal Nursing*, 27(2), 176-183. doi:10.1097/JPN.0b013e31828eafd1
- Warre, R., O'Brien, K., & Lee, S. (2014). Parents as the Primary Caregivers for their infant in the NICU: Benefits and challenges. *NeoReviews*, 11(15), e472. doi:10.1542/neo.15-11-e472

- White, R. D. (2016). The next big ideas in NICU design. *Journal of Perinatology*, 36, 259-262.
doi:10.1038/jp.2016
- White, R.D. (2004). Mothers' arms – the past and future locus of neonatal care? *Clinics in Perinatology*, 31(2), 383-388.
- White, R. D., Smith, J. A., & Shepley, M. M. (2013). Recommended standards for newborn ICU design. *Journal of Perinatology*, 33, S2-S16. doi:10.1038/jp.2013.10
- Wigert, H., Hellstrom, A., & Berg, M. (2008). Conditions for parents' participation in the care of their child in neonatal intensive care – A field Study. *BMC Pediatrics*, 8(3). doi:10.1186/1471-2431-8-3
- Wong, O., Nguyen, T., Thomas, N., Thomson-Salo, F., Handrinos, D., & Judd, F. (2015). Perinatal mental health: Fathers – the (mostly) forgotten parent. *Asia-Pacific Psychiatry*, 8(4), 247-255.
doi:10.1111/appy.12204